

M/s. Sarigam Clean Initiative (Old Name-Gujarat Industrial Development Corporation), Sarigam

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
12.5	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2016	8.5	Nil	pH	7.8	pH	7.82	Flow Meter, TOC meter	Storage – 250 MT
	COD	750 mg/L	COD	250 mg/L				COD	479 mg/L	COD	212.5 mg/L		
	BOD (3 days at 27°C)	300 mg/L	BOD (3 days at 27°C)	30 mg/L				BOD (3 days at 27°C)	109 mg/L	BOD (3 days at 27°C)	49 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	167 mg/L	SS	80 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	167.73 mg/L	NH ₃ -N	34.6 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.25 mg/L	Phenolic Compounds	0.52 mg/L		

M/s. Vapi Waste & Effluent Management Co. Ltd, Vapi

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
55	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2016	55	Nil	pH	7.91	pH	7.43	pH, Flow Meter, TOC & DO Meter	Storage - 5400 MT
	COD	1000 mg/L	COD	250 mg/L				COD	988.2 mg/L	COD	303.9 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	247.9 mg/L	BOD	46.97 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	202.6 mg/L	SS	107.5 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	76.15 mg/L	NH ₃ -N	28.99 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.53 mg/L	Phenolic Compounds	0.44 mg/L		

M/s. Sachin Infra Environment Ltd., Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
50	pH	Not Furnished	pH	6.5-8.5	Average value of May - 2016	47	Nil	pH	6.98	pH	7.20	Flow Meter, TOC	Storage - 100 MT Disposal - 20.57 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1051 mg/L	COD	267 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	327.5 mg/L	BOD	82 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	294 mg/L	SS	81 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	1.36 mg/L	Phenolic Compounds	0.21 mg/L		

M/s. Globe Enviro Care Ltd. [chemical units], Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.50	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of May - 2016	0.35	Nil	pH	7.31	pH	7.78	Flow Meter, TOC	Storage - 500 kg Disposal - 24.95 MT
	COD	4000 mg/L	COD	250 mg/L				COD	3744 mg/L	COD	281.5 mg/L		
	BOD	1500 mg/L	BOD	30 mg/L				BOD	1192.5 mg/L	BOD	87.5 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	359 mg/L	SS	163 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	45.85 mg/L	NH ₃ -N	24.05 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	2.91 mg/L	Phenolic Compounds	0.43 mg/L		

M/s. Pandesara Infrastructure Ltd., Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2016	88	Nil	pH	7.27	pH	7.6	Flow Meter, TOC	Storage - 6 MT Disposal - 805 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1632 mg/L	COD	324 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	540 mg/L	BOD	195 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	402 mg/L	SS	100 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	28 mg/L	NH ₃ -N	28 mg/L		
	Phenolic Compounds	01 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	1.6 mg/L	Phenolic Compounds	BDL		

M/s. Palsana Enviro Protection Ltd., (PEPL), Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of May - 2016	95	Nil	pH	7.63	pH	8.01	pH, Flow Meter, TOC	Storage - 1594.784 MT
	COD	1000 mg/L	COD	250 mg/L				COD	962 mg/L	COD	294 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	295 mg/L	BOD	56 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	256 mg/L	SS	114 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.04 mg/L	Phenolic Compounds	0.71 mg/L		

M/s. New Palsana Industrial Co. Op. Society Ltd., Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
45	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2016	22	Nil	pH	7.8	pH	7.63	-	Storage - 40 MT Disposal - 140 MT
	COD	1000 mg/L	COD	100 mg/L				COD	969.5 mg/L	COD	677.2 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	290.5 mg/L	BOD	199.8 mg/L		
	SS	300 mg/L	SS	<60 mg/L				SS	346 mg/L	SS	112.4 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	45.9 mg/L	NH ₃ -N	25.195 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.24 mg/L	Phenolic Compounds	4.1 mg/L		

M/s. Gujarat Eco Textile Park Pvt Ltd, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
60	pH	Not Furnished	pH	6.5 to 8.5	Average value of May - 2016	35	Nil	pH	7.68	pH	7.67	pH, Flow Meter, COD Meter including TOC	Storage - 40 MT Disposal - 65 MT
	COD		COD	100 mg/L				COD	824.5 mg/L	COD	473.8 mg/L		
	BOD		BOD	30 mg/L				BOD	247.5 mg/L	BOD	117.8 mg/L		
	SS		SS	<60 mg/L				SS	239 mg/L	SS	136 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	33.6 mg/L	NH ₃ -N	18.75 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	0.59 mg/L	Phenolic Compounds	0.13 mg/L		

M/s. Fairdeal Textile Parks Pvt. Ltd, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.25	pH	Not Furnished	pH	6.5 to 8.5	Average value of May - 2016	1	Nil	pH	7.22	pH	7.35	-	Storage - 4 MT
	COD		COD	100 mg/L				COD	267 mg/L	COD	50 mg/L		
	BOD		BOD	30 mg/L				BOD	74 mg/L	BOD	8 mg/L		
	SS		SS	<60 mg/L				SS	398 mg/L	SS	22 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	0.16 mg/L	Phenolic Compounds	0.02 mg/L		

M/s. Panoli Enviro Technology Ltd., Bharuch

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1	pH	Not Furnished	pH	5.5-8.5	Average value of May - 2016	0.35	Nil	pH	6.88	pH	7.48	pH, Flow Meter, TOC	Storage - 25 MT Disposal - 123 MT
	COD		COD	100 mg/L				COD	2225 mg/L	COD	756 mg/L		
	BOD		BOD	30 mg/L				BOD	727.5 mg/L	BOD	227 mg/L		
	SS		SS	100 mg/L				SS	270 mg/L	SS	136 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	86.8 mg/L	NH ₃ -N	25 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	1.15 mg/L	Phenolic Compounds	0.75 mg/L		

M/s. Enviro Technology Ltd., Bharuch

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.8	pH	Not Furnished	pH	5.5-8.5	Average value of May - 2016	1.10	Nil	pH	1.68	pH	7.00	-	Disposal - 16.01 MT
	COD		COD	100 mg/L				COD	4600.5 mg/L	COD	670.5 mg/L		
	BOD (3 days at 27°C)		BOD (3 days at 27°C)	30 mg/L				BOD (3 days at 27°C)	1231.5 mg/L	BOD (3 days at 27°C)	42 mg/L		
	SS		SS	100 mg/L				SS	453 mg/L	SS	113 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	52 mg/L	NH ₃ -N	37.7 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	17.78 mg/L	Phenolic Compounds	0.33 mg/L		

M/s. Narmada Clean Tech Ltd., (Bharuch Eco-Aqua Infrastructure Ltd.)(BEAIL), Ankleshwar

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
60	pH	Not Furnished	pH	6-9	Average value of May - 2016	40	Nil	pH	8.24	pH	8.14	pH, Flow Meter, TOC	Storage - 700 MT Disposal - 953 MT
	COD		COD	500 mg/L				COD	1524 mg/L	COD	700 mg/L		
	BOD		BOD	100 mg/L				BOD	419 mg/L	BOD	127.33 mg/L		
	SS		SS	100 mg/L				SS	478 mg/L	SS	67.33 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	134 mg/L	NH ₃ -N	351.67 mg/L		
	Phenolic Compounds		Phenolic Compounds	5 mg/L				Phenolic Compounds	2.55 mg/L	Phenolic Compounds	0.27 mg/L		

M/s. Nandesari Industrial Association (CETP), Vadodara

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
6.80	pH	5 to 9	pH	6.5 to 8.5	Average value of May - 2016	4.80	Nil	pH	6.99	pH	7.81	Flow Meter, COD	-
	COD	2000 mg/L	COD	250 mg/L				COD	3200 mg/L	COD	756 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	968 mg/L	BOD	393 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	880 mg/L	SS	528 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	119.84 mg/L	NH ₃ -N	2.24 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.776 mg/L	Phenolic Compounds	0.176 mg/L		

M/s. Enviro Infrastructure Co. Ltd., Vadodara

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
4.50	pH	5 to 9	pH	6.5 to 8.5	Average value of May - 2016	1.50	Nil	pH	7.77	pH	7.81	pH, Flow Meter, TOC and Total Nitrogen	-
	COD	2000 mg/L	COD	250 mg/L				COD	891 mg/L	COD	260 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	286 mg/L	BOD	76 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	392 mg/L	SS	164 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	21.84 mg/L	NH ₃ -N	16.24 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	BDL	Phenolic Compounds	BDL		

M/s. Naroda Enviro Project Ltd., Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2016	3	Nil	pH	7.84	pH	8.09	-	Storage - 3000 MT
	COD	3000 mg/L	COD	250 mg/L				COD	3926 mg/L	COD	1689.5 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	1022 mg/L	BOD	381 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	681.5 mg/L	SS	229 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	185.92 mg/L	NH ₃ -N	84.56 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.15 mg/L	Phenolic Compounds	BDL		

M/s. The Green Environment Services Co. Op. Society Ltd, Vatva, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
16	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2016	20	Nil	pH	-	pH	8.06	Flow Meter, TOC	-
	COD	3000 mg/L	COD	250 mg/L				COD	-	COD	1228 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	-	BOD	277 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	258 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	68.32 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	0.82 mg/L		

M/s. Odhav Enviro Project Ltd., Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.6	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2016	1	Nil	pH	7.62	pH	7.55	Flow meter at inlet & outlet	Storage - 50-60 MT Disposal - 24.425 MT
	COD	3000 mg/L	COD	250 mg/L				COD	694 mg/L	COD	417 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	196 mg/L	BOD	99 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	142 mg/L	SS	88 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	34.72 mg/L	NH ₃ -N	1.12 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.18 mg/L	Phenolic Compounds	BDL		

M/s. Odhav Green Enviro Project Association, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2016	0.6	Nil	pH	8.20	pH	8.57	-	Storage - 7-8 MT
	COD	3000 mg/L	COD	250 mg/L				COD	370 mg/L	COD	386 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	136 mg/L	BOD	146 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	158 mg/L	SS	180 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	20.72 mg/L	NH ₃ -N	14.56 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.24 mg/L	Phenolic Compounds	BDL		

M/s. Narol Dyestuff Enviro Society., Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.10	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2016	0.015	Nil	pH	-	pH	7.83	-	Storage - 20 MT
	COD	3000 mg/L	COD	250 mg/L				COD	-	COD	144 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	-	BOD	26 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	112 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	4.48 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	0.228 mg/L		

M/s. Gujarat Vepari Maha Mandal Sahkari Udhdyogik Vasahat Ltd, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.0	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2016	0.6	Nil	pH	7.5	pH	7.42	Flow Meter	Storage - 35-40 MT
	COD	3000 mg/L	COD	250 mg/L				COD	580.5 mg/L	COD	97 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	183.5 mg/L	BOD	26 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	356 mg/L	SS	84 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	96.32 mg/L	NH ₃ -N	78.96 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.13 mg/L	Phenolic Compounds	BDL		

M/s. Kalol GIDC Industries Association, Gandhinagar

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.40	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of May - 2016	0.35	Nil	pH	7.63	pH	7.83	-	Storage - 3-5 MT Disposal - 53.39 MT
	COD	2500 mg/L	COD	250 mg/L				COD	1617 mg/L	COD	568 mg/L		
	BOD	1000 mg/L	BOD	100 mg/L				BOD	664 mg/L	BOD	119 mg/L		
	SS	-	SS	100 mg/L				SS	376 mg/L	SS	206 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	31.92 mg/L	NH ₃ -N	27.44 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	9.3 mg/L	Phenolic Compounds	BDL		

M/s. Zydus Infrastructure Pvt. Ltd, Changodar, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.75	pH	6 to 8	pH	No outlet norms are prescribed as it is a ZLD based CETP by the means of MEE	Average value of May - 2016	0.75	Nil	pH	7.40	pH	6.92	-	Disposal - 25.6 MT
	COD	850 mg/L	COD					COD	375.5 mg/L	COD	16 mg/L		
	BOD (3 days at 27°C)	400 mg/L	BOD (3 days at 27°C)					BOD (3 days at 27°C)	146 mg/L	BOD (3 days at 27°C)	<5 mg/L		
	SS	300 mg/L	SS					SS	71 mg/L	SS	4 mg/L		
	NH ₃ -N	<10 mg/L	NH ₃ -N					NH ₃ -N	12.88 mg/L	NH ₃ -N	0.42 mg/L		
	Phenolic Compounds	<3 mg/L	Phenolic Compounds					Phenolic Compounds	0.17 mg/L	Phenolic Compounds	BDL		

M/s. Tata Motors Ltd Vendors Park, Sanand, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.5	pH	6-10.5	pH	6.5-8.5	Average value of May - 2016	1.5	Nil	pH	-	pH	8.71	-	-
	COD	900 mg/L	COD	100 mg/L				COD	-	COD	54 mg/L		
	BOD	250 mg/L	BOD	30 mg/L				BOD	-	BOD	14 mg/L		
	SS	100 mg/L	SS	100 mg/L				SS	-	SS	48 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	1.12 mg/L		
	Phenolic Compounds	Not Applicable	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Bavla Eco Project Ltd., Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1	pH	No CETP Inlet norms prescribed as it is a CETP of rice mill cluster	pH	6.5-8.5	Average value of May - 2016	1	Nil	pH	-	pH	7.55	-	Sludge is used as Manure
	COD		COD	250 mg/L				COD	-	COD	484 mg/L		
	BOD		BOD	100 mg/L				BOD	-	BOD	212 mg/L		
	SS		SS	100 mg/L				SS	-	SS	440 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	7.28 mg/L		
	Phenolic Compounds		Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Vinayak Jal Sudhikaran Sahakari Mandali Ltd, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
150	pH	No CETP inlet norms prescribed as it is the CETP of Rice Mills	pH	6.5-8.5	Average value of May - 2016	1.50	Nil	pH	-	pH	7.99	-	Sludge is used as Manure
	COD		COD	250mg/L				COD	-	COD	164 mg/L		
	BOD		BOD	100 mg/L				BOD	-	BOD	58 mg/L		
	SS		SS	100 mg/L				SS	-	SS	30 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	4.48 mg/L		
	Phenolic Compounds		Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Rajkot Electroplating Association, Rajkot

Capacity in (MLD)	Designed Inlet Quality	Final Effluent Quality Stds. Or ZLD Conditions	Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality	Observed Final Effluent Quality	Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
No sampling during the month of May									

M/s. Jay Khodiyar Enviro-Technologies Pvt. Ltd., Rajkot

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.025	pH	Not Furnished	pH	6.5 to 8.5	Average value of May - 2016	0.007	Nil	pH	2.05	pH	8.09	-	Storage - 10 MT
	COD		COD	250 mg/L				COD	543 mg/L	COD	07 mg/L		
	BOD		BOD	30 mg/L				BOD	123 mg/L	BOD	2.5 mg/L		
	SS		SS	100 mg/L				SS	122 mg/L	SS	12 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	102.76 mg/L	NH ₃ -N	0.28 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	1.51 mg/L	Phenolic Compounds	BDL		

M/s. Jetpur Dyeing & Printing Association, Jetpur, Rajkot

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
	Parameter	Value	Parameter	Value				Parameter	Value	Parameter	Value		
10	pH	-	pH	6.5 to 8.5	Average value of May - 2016	7	Nil	pH	11.01	pH	7.41	pH, Flow Meter	Disposal - 340 MT
	COD	-	COD	250 mg/L				COD	2009 mg/L	COD	113 mg/L		
	BOD	-	BOD	100 mg/L				BOD	743 mg/L	BOD	39 mg/L		
	SS	-	SS	100 mg/L				SS	304 mg/L	SS	50 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	10.36 mg/L	NH ₃ -N	7.28 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Shri Dhareshwar GIDC Vistar Association, Rajkot

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.09	pH	-	pH	6.5 to 8.5	Average value of May - 2016	0.07	Nil	pH	6.76	pH	7.12	pH, Flow Meter	Storage - 11 MT Disposal - 6 MT
	COD	-	COD	250 mg/L				COD	950 mg/L	COD	183 mg/L		
	BOD	-	BOD	100 mg/L				BOD	352 mg/L	BOD	64 mg/L		
	SS	-	SS	100 mg/L				SS	158 mg/L	SS	88 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	14.56 mg/L	NH ₃ -N	12.88 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Bhatgam Washing Ghat Suddhikaran Yojana Pvt. Ltd., Bhatgam, Rajkot

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
30	pH	-	pH	6.5 to 8.5	Average value of May - 2016	6	Nil	pH	10.94	pH	6.79	-	Disposal - 549.125 MT
	COD	-	COD	100 mg/L				COD	261 mg/L	COD	292 mg/L		
	BOD	-	BOD	30 mg/L				BOD	84 mg/L	BOD	92 mg/L		
	SS	-	SS	100 mg/L				SS	290 mg/L	SS	222 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	10.92 mg/L	NH ₃ -N	0.84 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Veraval Industries Association, Junagadh

Capacity in (MLD)	Designed Inlet Quality	Final Effluent Quality Stds. Or ZLD Conditions	Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality	Observed Final Effluent Quality	Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
No sampling during the month of May									

M/s. MPSEZ Utilities (P) Limited, Mundra, Kutch

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.5	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2016	2.0	Nil	pH	7.9	pH	8	-	-
	COD	2000 mg/L	COD	100 mg/L				COD	86 mg/L	COD	58 mg/L		
	BOD (3 days at 27° C)	1000 mg/L	BOD(3 days at 27° C)	30 mg/L				BOD(3 days at 27° C)	21.2 mg/L	BOD(3 days at 27° C)	15.2 mg/L		
	SS	800 mg/L	SS	100 mg/L				SS	32 mg/L	SS	17 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	BDL	NH ₃ -N	BDL		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.19 mg/L	Phenolic Compounds	0.27 mg/L		