

M/s. Sarigam Clean Initiative (Old Name-Gujarat Industrial Development Corporation), Sarigam

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
12.5	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2016	8.5	Nil	pH	7.3	pH	7.50	Flow Meter, TOC meter	Storage – 250 MT
	COD	750 mg/L	COD	250 mg/L				COD	511.5 mg/L	COD	189 mg/L		
	BOD (3 days at 27°C)	300 mg/L	BOD (3 days at 27°C)	30 mg/L				BOD (3 days at 27°C)	148 mg/L	BOD (3 days at 27°C)	39 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	175 mg/L	SS	132 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	36.66 mg/L	NH ₃ -N	21.07 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.473 mg/L	Phenolic Compounds	0.46 mg/L		

M/s. Vapi Waste & Effluent Management Co. Ltd, Vapi

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
55	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2016	55	Nil	pH	7.92	pH	7.40	pH, Flow Meter, TOC & DO Meter	Storage - 3000 MT
	COD	1000 mg/L	COD	250 mg/L				COD	901.5 mg/L	COD	236.31 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	204.67 mg/L	BOD	30.25 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	239.33 mg/L	SS	85.13 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	62.39 mg/L	NH ₃ -N	27.67 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.39 mg/L	Phenolic Compounds	0.41 mg/L		

M/s. Sachin Infra Environment Ltd., Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
50	pH	Not Furnished	pH	6.5-8.5	Average value of June - 2016	47	Nil	pH	6.90	pH	7.22	Flow Meter, TOC	Storage - 750 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1143 mg/L	COD	354 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	305.33 mg/L	BOD	98.33 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	244.67 mg/L	SS	78 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	0.32 mg/L	Phenolic Compounds	0.55 mg/L		

M/s. Globe Enviro Care Ltd. [chemical units], Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.50	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of June - 2016	0.35	Nil	pH	7.3	pH	7.62	Flow Meter, TOC	Storage – 3 MT
	COD	4000 mg/L	COD	250 mg/L				COD	3383.5 mg/L	COD	325 mg/L		
	BOD	1500 mg/L	BOD	30 mg/L				BOD	1117.5 mg/L	BOD	90.5 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	159 mg/L	SS	69 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	533.97 mg/L	NH ₃ -N	72.11 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.29 mg/L	Phenolic Compounds	0.19 mg/L		

M/s. Pandesara Infrastructure Ltd., Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2016	88	Nil	pH	6.77	pH	7.46	Flow Meter, TOC	Disposal – 787.72 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1959 mg/L	COD	352 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	660 mg/L	BOD	93 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	384 mg/L	SS	84 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	19.60 mg/L	NH ₃ -N	4.48 mg/L		
	Phenolic Compounds	01 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	2.76 mg/L	Phenolic Compounds	0.89 mg/L		

M/s. Palsana Enviro Protection Ltd., (PEPL), Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of June - 2016	95	Nil	pH	7.48	pH	7.65	pH, Flow Meter, TOC	Storage - 1700 MT Disposal – 191 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1007 mg/L	COD	278 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	329 mg/L	BOD	75 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	235 mg/L	SS	128 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.76 mg/L	Phenolic Compounds	0.41 mg/L		

M/s. New Palsana Industrial Co. Op. Society Ltd., Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
45	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2016	22	Nil	pH	-	pH	7.81	-	Storage - 800 MT
	COD	1000 mg/L	COD	100 mg/L				COD	-	COD	286 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	-	BOD	75 mg/L		
	SS	300 mg/L	SS	<60 mg/L				SS	-	SS	50 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	0.29 mg/L		

M/s. Gujarat Eco Textile Park Pvt Ltd, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
60	pH	Not Furnished	pH	6.5 to 8.5	Average value of June - 2016	35	Nil	pH	7.50	pH	8.02	pH, Flow Meter, COD Meter including TOC	Storage - 300 MT
	COD		COD	100 mg/L				COD	1163 mg/L	COD	200.5 mg/L		
	BOD		BOD	30 mg/L				BOD	374 mg/L	BOD	52 mg/L		
	SS		SS	<60 mg/L				SS	106 mg/L	SS	59 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	10.1 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	0.85 mg/L	Phenolic Compounds	0.30 mg/L		

M/s. Fairdeal Textile Parks Pvt. Ltd, Surat

Capacity in (MLD)	Designed Inlet Quality	Final Effluent Quality Stds. Or ZLD Conditions	Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality	Observed Final Effluent Quality	Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
No visit in the month of June									

M/s. Panoli Enviro Technology Ltd., Bharuch

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1	pH	Not Furnished	pH	5.5-8.5	Average value of June - 2016	0.35	Nil	pH	8.11	pH	8.38	pH, Flow Meter, TOC	Storage - 12 MT Disposal - 283 MT
	COD		COD	100 mg/L				COD	5465 mg/L	COD	1084.5 mg/L		
	BOD		BOD	30 mg/L				BOD	1686.5 mg/L	BOD	135 mg/L		
	SS		SS	100 mg/L				SS	1226 mg/L	SS	414 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	12.6 mg/L	NH ₃ -N	4.75 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	2.55 mg/L	Phenolic Compounds	1.23 mg/L		

M/s. Enviro Technology Ltd., Bharuch

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.8	pH	Not Furnished	pH	5.5-8.5	Average value of June - 2016	1.10	Nil	pH	2.26	pH	7.71	-	Disposal - 868 MT
	COD		COD	100 mg/L				COD	4515 mg/L	COD	989 mg/L		
	BOD (3 days at 27°C)		BOD (3 days at 27°C)	30 mg/L				BOD (3 days at 27°C)	1337 mg/L	BOD (3 days at 27°C)	96 mg/L		
	SS		SS	100 mg/L				SS	198 mg/L	SS	90 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	29.5 mg/L	NH ₃ -N	33.97 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	2.2 mg/L	Phenolic Compounds	0.57 mg/L		

M/s. Narmada Clean Tech Ltd., (Bharuch Eco-Aqua Infrastructure Ltd.)(BEAIL), Ankleshwar

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
60	pH	Not Furnished	pH	6-9	Average value of June - 2016	40	Nil	pH	7.65	pH	7.83	pH, Flow Meter, TOC	Storage - 5000 MT
	COD		COD	500 mg/L				COD	1141.5 mg/L	COD	1007 mg/L		
	BOD		BOD	100 mg/L				BOD	318.5 mg/L	BOD	63 mg/L		
	SS		SS	100 mg/L				SS	399 mg/L	SS	250 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	268.8 mg/L	NH ₃ -N	476 mg/L		
	Phenolic Compounds		Phenolic Compounds	5 mg/L				Phenolic Compounds	2.53 mg/L	Phenolic Compounds	6.22 mg/L		

M/s. Nandesari Industrial Association (CETP), Vadodara

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
6.80	pH	5 to 9	pH	6.5 to 8.5	Average value of June - 2016	4.80	Nil	pH	7.65	pH	7.90	Flow Meter, COD	-
	COD	2000 mg/L	COD	250 mg/L				COD	1259 mg/L	COD	661 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	659 mg/L	BOD	369 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	360 mg/L	SS	126 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	109.2 mg/L	NH ₃ -N	20.16 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.18 mg/L	Phenolic Compounds	0.28 mg/L		

M/s. Enviro Infrastructure Co. Ltd., Vadodara

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
4.50	pH	5 to 9	pH	6.5 to 8.5	Average value of June - 2016	1.50	Nil	pH	7.62	pH	8.04	pH, Flow Meter, TOC and Total Nitrogen	-
	COD	2000 mg/L	COD	250 mg/L				COD	680 mg/L	COD	270 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	233 mg/L	BOD	38 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	144 mg/L	SS	64 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	20.16 mg/L	NH ₃ -N	14 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	BDL	Phenolic Compounds	0.86 mg/L		

M/s. Naroda Enviro Project Ltd., Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2016	3	Nil	pH	7.50	pH	7.93	-	Storage - 3000 MT
	COD	3000 mg/L	COD	250 mg/L				COD	2622 mg/L	COD	2107 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	790 mg/L	BOD	595 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	860 mg/L	SS	340 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	74.48 mg/L	NH ₃ -N	78.40 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.74 mg/L	Phenolic Compounds	0.71 mg/L		

M/s. The Green Environment Services Co. Op. Society Ltd, Vatva, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
	Parameter	Value	Parameter	Value				Parameter	Value	Parameter	Value		
16	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2016	20	Nil	pH	7.57	pH	7.43	Flow Meter, TOC	-
	COD	3000 mg/L	COD	250 mg/L				COD	1083 mg/L	COD	451 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	355 mg/L	BOD	162 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	360 mg/L	SS	146 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	58.24 mg/L	NH ₃ -N	56 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.314 mg/L	Phenolic Compounds	0.257 mg/L		

M/s. Odhav Enviro Project Ltd., Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.6	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2016	1	Nil	pH	7.05	pH	7.93	Flow meter at inlet & outlet	-
	COD	3000 mg/L	COD	250 mg/L				COD	6303 mg/L	COD	296 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	2438 mg/L	BOD	71 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	30130 mg/L	SS	166 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	44.80 mg/L	NH ₃ -N	31.92 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.31 mg/L	Phenolic Compounds	BDL		

M/s. Odhav Green Enviro Project Association, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2016	0.6	Nil	pH	7.40	pH	7.23	-	Storage - 8 MT Disposal – 10 MT
	COD	3000 mg/L	COD	250 mg/L				COD	644 mg/L	COD	641 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	310 mg/L	BOD	194 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	760 mg/L	SS	142 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	3.36 mg/L	NH ₃ -N	3.36 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.29 mg/L	Phenolic Compounds	0.28 mg/L		

M/s. Narol Dyestuff Enviro Society., Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.10	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2016	0.015	Nil	pH	7.79	pH	8.19	-	Storage - 20 MT
	COD	3000 mg/L	COD	250 mg/L				COD	1287 mg/L	COD	113 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	369 mg/L	BOD	38 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	384 mg/L	SS	24 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	33.60 mg/L	NH ₃ -N	16.80 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.56 mg/L	Phenolic Compounds	BDL		

M/s. Gujarat Vepari Maha Mandal Sahkari Udhdyogik Vasahat Ltd, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.0	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2016	0.6	Nil	pH	4.59	pH	6.89	Flow Meter	Storage – 50-55 MT
	COD	3000 mg/L	COD	250 mg/L				COD	575.5 mg/L	COD	203 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	269 mg/L	BOD	66 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	338 mg/L	SS	167 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	23.8 mg/L	NH ₃ -N	28.84 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.542 mg/L	Phenolic Compounds	0.285 mg/L		

M/s. Kalol GIDC Industries Association, Gandhinagar

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.40	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of June - 2016	0.35	Nil	pH	7.76	pH	7.20	-	Storage - 10 MT
	COD	2500 mg/L	COD	250 mg/L				COD	1810 mg/L	COD	529 mg/L		
	BOD	1000 mg/L	BOD	100 mg/L				BOD	718 mg/L	BOD	109 mg/L		
	SS	-	SS	100 mg/L				SS	344 mg/L	SS	204 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	38.64 mg/L	NH ₃ -N	30.8 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.63 mg/L	Phenolic Compounds	0.34 mg/L		

M/s. Zydus Infrastructure Pvt. Ltd, Changodar, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.75	pH	6 to 8	pH	No outlet norms are prescribed as it is a ZLD based CETP by the means of MEE	Average value of June - 2016	0.75	Nil	pH	7.93	pH	7.46	-	Storage – 12-15 MT
	COD	850 mg/L	COD					COD	208.5 mg/L	COD	20.5 mg/L		
	BOD (3 days at 27°C)	400 mg/L	BOD (3 days at 27°C)					BOD (3 days at 27°C)	84 mg/L	BOD (3 days at 27°C)	6 mg/L		
	SS	300 mg/L	SS					SS	120 mg/L	SS	5 mg/L		
	NH ₃ -N	<10 mg/L	NH ₃ -N					NH ₃ -N	8.4 mg/L	NH ₃ -N	0.83 mg/L		
	Phenolic Compounds	<3 mg/L	Phenolic Compounds					Phenolic Compounds	0.82 mg/L	Phenolic Compounds	BDL		

M/s. Tata Motors Ltd Vendors Park, Sanand, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.5	pH	6-10.5	pH	6.5-8.5	Average value of June - 2016	1.5	Nil	pH	-	pH	8.70	-	-
	COD	900 mg/L	COD	100 mg/L				COD	-	COD	44 mg/L		
	BOD	250 mg/L	BOD	30 mg/L				BOD	-	BOD	15 mg/L		
	SS	100 mg/L	SS	100 mg/L				SS	-	SS	10 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	2.8 mg/L		
	Phenolic Compounds	Not Applicable	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Bavla Eco Project Ltd., Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1	pH	No CETP Inlet norms prescribed as it is a CETP of rice mill cluster	pH	6.5-8.5	Average value of June - 2016	1	Nil	pH	-	pH	8.05	-	Sludge is used as Manure
	COD		COD	250 mg/L				COD	-	COD	348 mg/L		
	BOD		BOD	100 mg/L				BOD	-	BOD	105 mg/L		
	SS		SS	100 mg/L				SS	-	SS	436 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	2.24 mg/L		
	Phenolic Compounds		Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Vinayak Jal Sudhikaran Sahakari Mandali Ltd, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
150	pH	No CETP inlet norms prescribed as it is the CETP of Rice Mills	pH	6.5-8.5	Average value of June - 2016	1.50	Nil	pH	-	pH	8.51	-	Sludge is used as Manure
	COD		COD	250mg/L				COD	-	COD	135 mg/L		
	BOD		BOD	100 mg/L				BOD	-	BOD	53 mg/L		
	SS		SS	100 mg/L				SS	-	SS	24 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	1.68 mg/L		
	Phenolic Compounds		Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Rajkot Electroplating Association, Rajkot

Capacity in (MLD)	Designed Inlet Quality	Final Effluent Quality Stds. Or ZLD Conditions	Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality	Observed Final Effluent Quality	Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
CETP is not in operation for last three months									

M/s. Jay Khodiyar Enviro-Technologies Pvt. Ltd., Rajkot

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.025	pH	Not Furnished	pH	6.5 to 8.5	Average value of June - 2016	0.007	Nil	pH	1.22	pH	7.12	-	Storage – 600-700 kg Disposal – 10 MT
	COD		COD	250 mg/L				COD	20 mg/L	COD	36 mg/L		
	BOD		BOD	30 mg/L				BOD	4 mg/L	BOD	11 mg/L		
	SS		SS	100 mg/L				SS	932 mg/L	SS	80 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	13.72 mg/L	NH ₃ -N	0.84 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	1.48 mg/L	Phenolic Compounds	0.48 mg/L		

M/s. Jetpur Dyeing & Printing Association, Jetpur, Rajkot

Capacity in (MLD)	Designed Inlet Quality	Final Effluent Quality Stds. Or ZLD Conditions	Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality	Observed Final Effluent Quality	Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
No sampling during the month of June - 2016									

M/s. Shri Dhareshwar GIDC Vistar Association, Rajkot

Capacity in (MLD)	Designed Inlet Quality	Final Effluent Quality Stds. Or ZLD Conditions	Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality	Observed Final Effluent Quality	Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
No visit in the month of June									

M/s. Bhatgam Washing Ghat Suddhikaran Yojana Pvt. Ltd., Bhatgam, Rajkot

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
30	pH	-	pH	6.5 to 8.5	Average value of June - 2016	6	Nil	pH	10.92	pH	9.52	-	Disposal – 260.37 MT
	COD	-	COD	100 mg/L				COD	270 mg/L	COD	325 mg/L		
	BOD	-	BOD	30 mg/L				BOD	86 mg/L	BOD	116 mg/L		
	SS	-	SS	100 mg/L				SS	1140 mg/L	SS	5200 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	15.68 mg/L	NH ₃ -N	1.68 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Veraval Industries Association, Junagadh

Capacity in (MLD)	Designed Inlet Quality	Final Effluent Quality Stds. Or ZLD Conditions	Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality	Observed Final Effluent Quality	Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
No sampling during the month of June-2016									

M/s. MPSEZ Utilities (P) Limited, Mundra, Kutch

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.5	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2016	2.0	Nil	pH	8.6	pH	8.1	-	-
	COD	2000 mg/L	COD	100 mg/L				COD	60 mg/L	COD	75 mg/L		
	BOD (3 days at 27° C)	1000 mg/L	BOD(3 days at 27° C)	30 mg/L				BOD(3 days at 27° C)	15 mg/L	BOD(3 days at 27° C)	17 mg/L		
	SS	800 mg/L	SS	100 mg/L				SS	32 mg/L	SS	32 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	BDL	NH ₃ -N	BDL		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.25 mg/L	Phenolic Compounds	0.23 mg/L		